

# Species: Actinidia arguta

(ak-ti-nid'ee-ah ar-gue'tah)

Bower Actinidia

### **Cultivar Information**

\* See specific cultivar notes on next page.

#### **Crnamental Characteristics**

Size: Vine

Height: 25' - 30' Leaves: Deciduous

Shape: vigorous and high-climbing vine

Ornamental Other: fast-growing; best sited in infertile soil to reduce rapid growth; full sun or part

shade

#### **Environmental Characteristics**

Light: Full sun, Part shade

Hardy To Zone: 3a

Soil Ph: Can tolerate acid to alkaline soil (pH 5.0 to 8.0)

Environmental Other: lustrous dark green foliage; whitish fragrant flowers in early summer; greenish

yellow edible fruits in late summer/early fall

#### Insect Disease

relatively trouble free; no maintenance except pruning to curb rapid growth

### Bare Root Transplanting

Any

## Cther

easy to transplant; male plant needed for pollination in most cases, native to Japan, Korea, N. China

## Cultivars for Actinidia arguta

### Showing 1-7 of 7 items.

<b>Cultivar Name</b>	Notes
Ananasnaja	'Ananasnaja'(a.k.a. 'Anna') - larger fruits, pineapple fragrance and distinctive flavor
Geneva Hill	'Geneva Hill' - heavy production of early ripening medium size fruits
Issai	'Issai' - develops seedless fruits
Jumbo	'Jumbo' - very large fruits
Ken	'Ken's Red' - fruits have red skin and flesh
Meader	'Meader' - heavy production of sweet, medium size fruit
Weiki	'Weiki' male cultivar needed to produce fruit

# Photos



Actinidia arguta - Flowers



Actinidia arguta - Leaves



Actinidia arguta - Habit



Actinidia arguta - Bud



Actinidia arguta - Leaves



Actinidia arguta - Habit



Actinidia arguta - Bark



Actinidia arguta - Bark