



## Species: *Caryopteris x clandonensis*

(kar-i-op'ter-is klan-doe-nen'sis)

Bluebeard, Blue-Mist Shrub

### Cultivar Information

\* See specific cultivar notes on next page.

### Ornamental Characteristics

Size: Shrub < 4 feet, Groundcover

Height: 2' - 3' (equal spread)

Leaves: Deciduous

Shape: Mounded shrub

Ornamental Other: Full sun

### Environmental Characteristics

Light: Full sun

Hardy To Zone: 5b

Soil Ph: Can tolerate acid to alkaline soil (pH 5.0 to 8.0)

Environmental Other: May be treated as perennial by cutting to ground each spring.

### Insect Disease

none

### Bare Root Transplanting

Any

## Other

Native to Japan and Northwestern China. May need to cut back after winter in Zone 5

Cultivars for *Caryopteris x clandonensis*

Showing **1-15** of **15** items.

Cultivar Name	Notes
Arthur Simmonds	'Arthur Simmonds' - powdery light blue flowers; particularly cold-hardy
Azure	'Azure' - bright blue flowers
Blue Balloon	'Blue Balloon' (a.k.a. 'Korball') - rounded from; particularly cold-hardy
Blue Mist	'Blue Mist' - powder blue flowers
Dark Knight	'Dark Knight' - deep blue-purple flowers
Ferndown	'Ferndown' - dark green leaves and deep purple-blue flowers
First Choice	'First Choice' - early bloomer
Grand Bleu	'Grand Bleu' (a.k.a. 'Inoveris') - compact habit, to 2.5' in a season; deep blue flowers
Heavenly Blue	'Heavenly Blue' - compact
Kew Blue	'Kew Blue' - dark blue flowers
Longwood Blue	'Longwood Blue' - gray foliage 4' x 4'
Sterling Silver	'Sterling Silver' - superior silver foliage
Worcester Gold	'Worcester Gold' - Yellow foliage
Beyond Midnight	Dark glossy foliage, blue flowers
Lil' Miss Sunshine	Yellow foliage, blue flowers

## Photos



Caryopteris x clandonensis - Leaves



Caryopteris x clandonensis - Bark



*Caryopteris x clandonensis* - Flowers



*Caryopteris x clandonensis* - Habit





*Caryopteris x clandonensis* - Habit



*Caryopteris x clandonensis* - Flowers



Caryopteris x clandonensis - Leaves



Caryopteris x clandonensis - Flowers



*Caryopteris x clandonensis* - Habit